



**GREENE
RUBBER
COMPANY**

Standard O-Ring Sizing Chart

O-Ring Size #	Actual I.D. Inches	Actual C.S. Inches	Nominal Reference I.D.	Nominal Reference C.S.	Nominal Reference O.D.
-001	.029±.004	.040±.003	1/32	1/32	3/32
-002	.042±.004	.050±.003	3/64	3/64	9/64
-003	.056±.004	.060±.003	1/16	1/16	3/16
-004	.070±.005	.070±.003	5/64	1/16	13/64
-005	.101±.005	.070±.003	3/32	1/16	7/32
-006	.114±.005	.070±.003	1/8	1/16	1/4
-007	.145±.005	.070±.003	5/32	1/16	9/32
-008	.176±.005	.070±.003	3/16	1/16	5/16
-009	.208±.005	.070±.003	7/32	1/16	11/32
-010	.239±.005	.070±.003	1/4	1/16	3/8
-011	.301±.005	.070±.003	5/16	1/16	7/16
-012	.364±.005	.070±.003	3/8	1/16	1/2
-013	.426±.005	.070±.003	7/16	1/16	9/16
-014	.489±.005	.070±.003	1/2	1/16	5/8
-015	.551±.007	.070±.003	9/16	1/16	11/16
-016	.614±.009	.070±.003	5/8	1/16	3/4
-017	.676±.009	.070±.003	11/16	1/16	13/16
-018	.739±.009	.070±.003	3/4	1/16	7/8
-019	.801±.009	.070±.003	13/16	1/16	15/16

-020	.864±.009	.070±.003	7/8	1/16	1
-021	.926±.009	.070±.003	15/16	1/16	1-1/16
-022	.989±.010	.070±.003	1	1/16	1-1/8
-023	1.051±.010	.070±.003	1-1/16	1/16	1-3/16
-024	1.114±.010	.070±.003	1-1/8	1/16	1-1/4
-025	1.176±.011	.070±.003	1-3/16	1/16	1-5/16
-026	1.239±.011	.070±.003	1-1/4	1/16	1-3/8
-027	1.301±.011	.070±.003	1-5/16	1/16	1-7/16
-028	1.364±.013	.070±.003	1-3/8	1/16	1-1/2
-029	1.489±.013	.070±.003	1-1/2	1/16	1-5/8
-030	1.614±.013	.070±.003	1-5/8	1/16	1-3/4
-031	1.739±.015	.070±.003	1-3/4	1/16	1-7/8
-032	1.864±.015	.070±.003	1-7/8	1/16	2
-033	1.989±.018	.070±.003	2	1/16	2-1/8
-034	2.114±.018	.070±.003	2-1/8	1/16	2-1/4
-035	2.239±.018	.070±.003	2-1/4	1/16	2-3/8
-036	2.364±.018	.070±.003	2-3/8	1/16	2-1/2
-037	2.489±.018	.070±.003	2-1/2	1/16	2-5/8
-038	2.614±.020	.070±.003	2-5/8	1/16	2-3/4
-039	2.739±.020	.070±.003	2-3/4	1/16	2-7/8
-040	2.864±.020	.070±.003	2-7/8	1/16	3
-041	2.989±.024	.070±.003	3	1/16	3-1/8
-042	3.239±.024	.070±.003	3-1/4	1/16	3-3/8
-043	3.489±.024	.070±.003	3-1/2	1/16	3-5/8

-044	3.739±.027	.070±.003	3-3/4	1/16	3-7/8
-045	3.989±.027	.070±.003	4	1/16	4-1/8
-046	4.239±.030	.070±.003	4-1/4	1/16	4-3/8
-047	4.489±.030	.070±.003	4-1/2	1/16	4-5/8
-048	4.739±.030	.070±.003	4-3/4	1/16	4-7/8
-049	4.989±.037	.070±.003	5	1/16	5-1/8
-050	5.239±.037	.070±.003	5-1/4	1/16	5-3/8
-102	.049±.005	.103±.003	1/16	3/32	1/4
-103	.081±.005	.103±.003	3/32	3/32	9/32
-104	.112±.005	.103±.003	1/8	3/32	5/16
-105	.143±.005	.103±.003	5/32	3/32	11/32
-106	.174±.005	.103±.003	3/16	3/32	3/8
-107	.206±.005	.103±.003	7/32	3/32	13/32
-108	.237±.005	.103±.003	1/4	3/32	7/16
-109	.299±.005	.103±.003	5/16	3/32	1/2
-110	.362±.005	.103±.003	3/8	3/32	9/16
-111	.424±.005	.103±.003	7/16	3/32	5/8
-112	.487±.005	.103±.003	1/2	3/32	11/16
-113	.549±.007	.103±.003	9/16	3/32	3/4
-114	.612±.009	.103±.003	5/8	3/32	13/16
-115	.674±.009	.103±.003	11/16	3/32	7/8
-116	.737±.009	.103±.003	3/4	3/32	15/16
-117	.799±.010	.103±.003	13/16	3/32	1
-118	.862±.010	.103±.003	7/8	3/32	1-1/16

-119	.924±.010	.103±.003	15/16	3/32	1-1/8
-120	.987±.010	.103±.003	1	3/32	1-3/16
-121	1.049±.010	.103±.003	1-1/16	3/32	1-1/4
-122	1.112±.010	.103±.003	1-1/8	3/32	1-5/16
-123	1.174±.012	.103±.003	1-3/16	3/32	1-3/8
-124	1.237±.012	.103±.003	1-1/4	3/32	1-7/16
-125	1.299±.012	.103±.003	1-5/16	3/32	1-1/2
-126	1.362±.012	.103±.003	1-3/8	3/32	1-9/16
-127	1.424±.012	.103±.003	1-7/16	3/32	1-5/8
-128	1.487±.012	.103±.003	1-1/2	3/32	1-11/16
-129	1.549±.015	.103±.003	1-9/16	3/32	1-3/4
-130	1.612±.015	.103±.003	1-5/8	3/32	1-13/16
-131	1.674±.015	.103±.003	1-11/16	3/32	1-7/8
-132	1.737±.015	.103±.003	1-3/4	3/32	1-15/16
-133	1.799±.015	.103±.003	1-13/16	3/32	2
-134	1.862±.015	.103±.003	1-7/8	3/32	2-1/16
-135	1.925±.017	.103±.003	1-15/16	3/32	2-1/8
-136	1.987±.017	.103±.003	2	3/32	2-3/16
-137	2.050±.017	.103±.003	2-1/16	3/32	2-1/4
-138	2.112±.017	.103±.003	2-1/8	3/32	2-5/16
-139	2.175±.017	.103±.003	2-3/16	3/32	2-3/8
-140	2.237±.017	.103±.003	2-1/4	3/32	2-7/16
-141	2.300±.020	.103±.003	2-5/16	3/32	2-1/2
-142	2.362±.020	.103±.003	2-3/8	3/32	2-9/16

-143	2.425±.020	.103±.003	2-7/16	3/32	2-5/8
-144	2.487±.020	.103±.003	2-1/2	3/32	2-11/16
-145	2.550±.020	.103±.003	2-9/16	3/32	2-3/4
-146	2.612±.020	.103±.003	2-5/8	3/32	2-13/16
-147	2.675±.022	.103±.003	2-11/16	3/32	2-7/8
-148	2.737±.022	.103±.003	2-3/4	3/32	2-15/16
-149	2.800±.022	.103±.003	2-13/16	3/32	3
-150	2.862±.022	.103±.003	2-7/8	3/32	3-1/16
-151	2.987±.024	.103±.003	3	3/32	3-3/16
-152	3.237±.024	.103±.003	3-1/4	3/32	3-7/16
-153	3.487±.024	.103±.003	3-1/2	3/32	3-11/16
-154	3.737±.028	.103±.003	3-3/4	3/32	3-15/16
-155	3.987±.028	.103±.003	4	3/32	4-3/16
-156	4.237±.030	.103±.003	4-1/4	3/32	4-7/16
-157	4.487±.030	.103±.003	4-1/2	3/32	4-11/16
-158	4.737±.030	.103±.003	4-3/4	3/32	4-15/16
-159	4.987±.035	.103±.003	5	3/32	5-3/16
-160	5.237±.035	.103±.003	5-1/4	3/32	5-7/16
-161	5.487±.035	.103±.003	5-1/2	3/32	5-11/16
-162	5.737±.035	.103±.003	5-3/4	3/32	5-15/16
-163	5.987±.035	.103±.003	6	3/32	6-3/16
-164	6.237±.040	.103±.003	6-1/4	3/32	6-7/16
-165	6.487±.040	.103±.003	6-1/2	3/32	6-11/16
-166	6.737±.040	.103±.003	6-3/4	3/32	6-15/16

-167	6.987±.040	.103±.003	7	3/32	7-3/16
-168	7.237±.045	.103±.003	7-1/4	3/32	7-7/16
-169	7.487±.045	.103±.003	7-1/2	3/32	7-11/16
-170	7.737±.045	.103±.003	7-3/4	3/32	7-15/16
-171	7.987±.045	.103±.003	8	3/32	8-3/16
-172	8.237±.050	.103±.003	8-1/4	3/32	8-7/16
-173	8.487±.050	.103±.003	8-1/2	3/32	8-11/16
-174	8.737±.050	.103±.003	8-3/4	3/32	8-15/16
-175	8.987±.050	.103±.003	9	3/32	9-3/16
-176	9.237±.055	.103±.003	9-1/4	3/32	9-7/16
-177	9.487±.055	.103±.003	9-1/2	3/32	9-11/16
-178	9.737±.055	.103±.003	9-3/4	3/32	9-15/16
-201	.171±.005	.139±.004	3/16	1/8	7/16
-202	.234±.005	.139±.004	1/4	1/8	1/2
-203	.296±.005	.139±.004	5/16	1/8	9/16
-204	.359±.005	.139±.004	3/8	1/8	5/8
-205	.421±.005	.139±.004	7/16	1/8	11/16
-206	.484±.005	.139±.004	1/2	1/8	3/4
-207	.546±.007	.139±.004	9/16	1/8	13/16
-208	.609±.009	.139±.004	5/8	1/8	7/8
-209	.671±.009	.139±.004	11/16	1/8	15/16
-210	.734±.010	.139±.004	3/4	1/8	1
-211	.796±.010	.139±.004	13/16	1/8	1-1/16
-212	.859±.010	.139±.004	7/8	1/8	1-1/8

-213	.921±.010	.139±.004	15/16	1/8	1-3/16
-214	.984±.010	.139±.004	1	1/8	1-1/4
-215	1.046±.010	.139±.004	1-1/16	1/8	1-5/16
-216	1.109±.012	.139±.004	1-1/8	1/8	1-3/8
-217	1.171±.012	.139±.004	1-3/16	1/8	1-7/16
-218	1.234±.012	.139±.004	1-1/4	1/8	1-1/2
-219	1.296±.012	.139±.004	1-5/16	1/8	1-9/16
-220	1.359±.012	.139±.004	1-3/8	1/8	1-5/8
-221	1.421±.012	.139±.004	1-7/16	1/8	1-11/16
-222	1.484±.015	.139±.004	1-1/2	1/8	1-3/4
-223	1.609±.015	.139±.004	1-5/8	1/8	1-7/8
-224	1.734±.015	.139±.004	1-3/4	1/8	2
-225	1.859±.018	.139±.004	1-7/8	1/8	2-1/8
-226	1.984±.018	.139±.004	2	1/8	2-1/4
-227	2.109±.018	.139±.004	2-1/8	1/8	2-3/8
-228	2.234±.020	.139±.004	2-1/4	1/8	2-1/2
-229	2.359±.020	.139±.004	2-3/8	1/8	2-5/8
-230	2.484±.020	.139±.004	2-1/2	1/8	2-3/4
-231	2.609±.020	.139±.004	2-5/8	1/8	2-7/8
-232	2.734±.024	.139±.004	2-3/4	1/8	3
-233	2.859±.024	.139±.004	2-7/8	1/8	3-1/8
-234	2.984±.024	.139±.004	3	1/8	3-1/4
-235	3.109±.024	.139±.004	3-1/8	1/8	3-3/8
-236	3.234±.024	.139±.004	3-1/4	1/8	3-1/2

-237	3.359±.024	.139±.004	3-3/8	1/8	3-5/8
-238	3.484±.024	.139±.004	3-1/2	1/8	3-3/4
-239	3.609±.028	.139±.004	3-5/8	1/8	3-7/8
-240	3.734±.028	.139±.004	3-3/4	1/8	4
-241	3.859±.028	.139±.004	3-7/8	1/8	4-1/8
-242	3.984±.028	.139±.004	4	1/8	4-1/4
-243	4.109±.028	.139±.004	4-1/8	1/8	4-3/8
-244	4.234±.030	.139±.004	4-1/4	1/8	4-1/2
-245	4.359±.030	.139±.004	4-3/8	1/8	4-5/8
-246	4.484±.030	.139±.004	4-1/2	1/8	4-3/4
-247	4.609±.030	.139±.004	4-5/8	1/8	4-7/8
-248	4.734±.030	.139±.004	4-3/4	1/8	5
-249	4.859±.035	.139±.004	4-7/8	1/8	5-1/8
-250	4.984±.035	.139±.004	5	1/8	5-1/4
-251	5.109±.035	.139±.004	5-1/8	1/8	5-3/8
-252	5.234±.035	.139±.004	5-1/4	1/8	5-1/2
-253	5.359±.035	.139±.004	5-3/8	1/8	5-5/8
-254	5.484±.035	.139±.004	5-1/2	1/8	5-3/4
-255	5.609±.035	.139±.004	5-5/8	1/8	5-7/8
-256	5.734±.035	.139±.004	5-3/4	1/8	6
-257	5.859±.035	.139±.004	5-7/8	1/8	6-1/8
-258	5.984±.035	.139±.004	6	1/8	6-1/4
-259	6.234±.040	.139±.004	6-1/4	1/8	6-1/2
-260	6.484±.040	.139±.004	6-1/2	1/8	6-3/4

-261	6.734±.040	.139±.004	6-3/4	1/8	7
-262	6.984±.040	.139±.004	7	1/8	7-1/4
-263	7.234±.045	.139±.004	7-1/4	1/8	7-1/2
-264	7.484±.045	.139±.004	7-1/2	1/8	7-3/4
-265	7.734±.045	.139±.004	7-3/4	1/8	8
-266	7.984±.045	.139±.004	8	1/8	8-1/4
-267	8.234±.050	.139±.004	8-1/4	1/8	8-1/2
-268	8.484±.050	.139±.004	8-1/2	1/8	8-3/4
-269	8.734±.050	.139±.004	8-3/4	1/8	9
-270	8.984±.050	.139±.004	9	1/8	9-1/4
-271	9.234±.055	.139±.004	9-1/4	1/8	9-1/2
-272	9.484±.055	.139±.004	9-1/2	1/8	9-3/4
-273	9.734±.055	.139±.004	9-3/4	1/8	10
-274	9.984±.055	.139±.004	10	1/8	10-1/4
-275	10.484±.065	.139±.004	10-1/2	1/8	10-3/4
-276	10.984±.065	.139±.004	11	1/8	11-1/4
-277	11.484±.065	.139±.004	11-1/2	1/8	11-3/4
-278	11.984±.065	.139±.004	12	1/8	12-1/4
-279	12.984±.065	.139±.004	13	1/8	13-1/4
-280	13.984±.065	.139±.004	14	1/8	14-1/4
-281	14.984±.065	.139±.004	15	1/8	15-1/4
-282	15.955±.075	.139±.004	16	1/8	16-1/4
-283	16.955±.080	.139±.004	17	1/8	17-1/4
-284	17.955±.085	.139±.004	18	1/8	18-1/4
-309	.412±.005	.210±.005	7/16	3/16	13/16

-310	.475±.005	.210±.005	1/2	3/16	7/8
-311	.537±.007	.210±.005	9/16	3/16	15-16
-312	.600±.009	.210±.005	5/8	3/16	1
-313	.662±.009	.210±.005	11-16	3/16	1-1/16
-314	.725±.010	.210±.005	3/4	3/16	1-1/8
-315	.787±.010	.210±.005	13/16	3/16	1-3/6
-316	.850±.010	.210±.005	7/8	3/16	1-1/4
-317	.912±.010	.210±.005	15/16	3/16	1-5/16
-318	.975±.010	.210±.005	1	3/16	1-3/8
-319	1.037±.010	.210±.005	1-1/16	3/16	1-7/16
-320	1.100±.012	.210±.005	1-1/8	3/16	1-1/2
-321	1.162±.012	.210±.005	1-3/16	3/16	1-9/16
-322	1.225±.012	.210±.005	1-1/4	3/16	1-5/8
-323	1.287±.012	.210±.005	1-5/16	3/16	1-11/16
-324	1.350±.012	.210±.005	1-3/8	3/16	1-3/4
-325	1.475±.015	.210±.005	1-1/2	3/16	1-7/8
-326	1.600±.015	.210±.005	1-5/8	3/16	2
-327	1.725±.015	.210±.005	1-3/4	3/16	2-1/8
-328	1.850±.015	.210±.005	1-7/8	3/16	2-1/4
-329	1.975±.018	.210±.005	2	3/16	2-3/8
-330	2.100±.018	.210±.005	2-1/8	3/16	2-1/2
-331	2.225±.018	.210±.005	2-1/4	3/16	2-5/8
-332	2.350±.018	.210±.005	2-3/8	3/16	2-3/4
-333	2.475±.020	.210±.005	2-1/2	3/16	2-7/8

-334	2.600±.020	.210±.005	2-5/8	3/16	3
-335	2.725±.020	.210±.005	2-3/4	3/16	3-1/8
-336	2.850±.020	.210±.005	2-7/8	3/16	3-1/4
-337	2.975±.024	.210±.005	3	3/16	3-3/8
-338	3.100±.024	.210±.005	3-1/8	3/16	3-1/2
-339	3.225±.024	.210±.005	3-1/4	3/16	3-5/8
-340	3.350±.024	.210±.005	3-3/8	3/16	3-3/4
-341	3.475±.024	.210±.005	3-1/2	3/16	3-7/8
-342	3.600±.028	.210±.005	3-5/8	3/16	4
-343	3.725±.028	.210±.005	3-3/4	3/16	4-1/8
-344	3.850±.028	.210±.005	3-7/8	3/16	4-1/4
-345	3.975±.028	.210±.005	4	3/16	4-3/8
-346	4.100±.028	.210±.005	4-1/8	3/16	4-1/2
-347	4.225±.030	.210±.005	4-1/4	3/16	4-5/8
-348	4.350±.030	.210±.005	4-3/8	3/16	4-3/4
-349	4.475±.030	.210±.005	4-1/2	3/16	4-7/8
-350	4.600±.030	.210±.005	4-5/8	3/16	5
-351	4.725±.030	.210±.005	4-3/4	3/16	5-1/8
-352	4.850±.030	.210±.005	4-7/8	3/16	5-1/4
-353	4.975±.037	.210±.005	5	3/16	5-3/8
-354	5.100±.037	.210±.005	5-1/8	3/16	5-1/2
-355	5.225±.037	.210±.005	5-1/4	3/16	5-5/8
-356	5.350±.037	.210±.005	5-3/8	3/16	5-3/4
-357	5.475±.037	.210±.005	5-1/2	3/16	5-7/8

-358	5.600±.037	.210±.005	5-5/8	3/16	6
-359	5.725±.037	.210±.005	5-3/4	3/16	6-1/8
-360	5.850±.037	.210±.005	5-7/8	3/16	6-1/4
-361	5.975±.037	.210±.005	6	3/16	6-3/8
-362	6.225±.040	.210±.005	6-1/4	3/16	6-5/8
-363	6.475±.040	.210±.005	6-1/2	3/16	6-7/8
-364	6.725±.040	.210±.005	6-3/4	3/16	7-1/8
-365	6.975±.040	.210±.005	7	3/16	7-3/8
-366	7.225±.045	.210±.005	7-1/4	3/16	7-5/8
-367	7.475±.045	.210±.005	7-1/2	3/16	7-7/8
-368	7.725±.045	.210±.005	7-3/4	3/16	8-1/8
-369	7.975±.045	.210±.005	8	3/16	8-3/8
-370	8.225±.050	.210±.005	8-1/4	3/16	8-5/8
-371	8.475±.050	.210±.005	8-1/2	3/16	8-7/8
-372	8.725±.050	.210±.005	8-3/4	3/16	9-1/8
-373	8.975±.050	.210±.005	9	3/16	9-3/8
-374	9.225±.055	.210±.005	9-1/4	3/16	9-5/8
-375	9.475±.055	.210±.005	9-1/2	3/16	9-7/8
-376	9.725±.055	.210±.005	9-3/4	3/16	10-1/8
-377	9.975±.055	.210±.005	10	3/16	10-3/8
-378	10.475±.060	.210±.005	10-1/2	3/16	10-7/8
-379	10.975±.060	.210±.005	11	3/16	11-3/8
-380	11.475±.065	.210±.005	11-1/2	3/16	11-7/8
-381	11.975±.065	.210±.005	12	3/16	12-3/8

-382	12.975±.065	.210±.005	13	3/16	13-3/8
-383	13.975±.070	.210±.005	14	3/16	14-3/8
-384	14.975±.070	.210±.005	15	3/16	15-3/8
-385	15.955±.075	.210±.005	16	3/16	16-3/8
-386	16.955±.080	.210±.005	17	3/16	17-3/8
-387	17.955±.085	.210±.005	18	3/16	18-3/8
-388	18.955±.090	.210±.005	19	3/16	19-3/8
-389	19.955±.095	.210±.005	20	3/16	20-3/8
-390	20.955±.095	.210±.005	21	3/16	21-3/8
-391	21.955±.100	.210±.005	22	3/16	22-3/8
-392	22.940±.105	.210±.005	23	3/16	23-3/8
-393	23.940±.110	.210±.005	24	3/16	24-3/8
-394	24.940±.115	.210±.005	25	3/16	25-3/8
-395	25.940±.120	.210±.005	26	3/16	26-3/8
-425	4.475±.033	.275±.006	4-1/2	1/4	5
-426	4.600±.033	.275±.006	4-5/8	1/4	5-1/8
-427	4.725±.033	.275±.006	4-3/4	1/4	5-1/4
-428	4.850±.033	.275±.006	4-7/8	1/4	5-3/8
-429	4.975±.037	.275±.006	5	1/4	5-1/2
-430	5.100±.037	.275±.006	5-1/8	1/4	5-5/8
-431	5.225±.037	.275±.006	5-1/4	1/4	5-3/4
-432	5.350±.037	.275±.006	5-3/8	1/4	5-7/8
-433	5.475±.037	.275±.006	5-1/2	1/4	6
-434	5.600±.037	.275±.006	5-5/8	1/4	6-1/8

-435	5.725±.037	.275±.006	5-3/4	1/4	6-1/4
-436	5.850±.037	.275±.006	5-7/8	1/4	6-3/8
-437	5.975±.037	.275±.006	6	1/4	6-1/2
-438	6.225±.040	.275±.006	6-1/4	1/4	6-3/4
-439	6.475±.040	.275±.006	6-1/2	1/4	7
-440	6.725±.040	.275±.006	6-3/4	1/4	7-1/4
-441	6.975±.040	.275±.006	7	1/4	7-1/2
-442	7.225±.045	.275±.006	7-1/4	1/4	7-3/4
-443	7.475±.045	.275±.006	7-1/2	1/4	8
-444	7.725±.045	.275±.006	7-3/4	1/4	8-1/4
-445	7.975±.045	.275±.006	8	1/4	8-1/2
-446	8.475±.055	.275±.006	8-1/2	1/4	9
-447	8.975±.055	.275±.006	9	1/4	9-1/2
-448	9.475±.055	.275±.006	9-1/2	1/4	10
-449	9.975±.055	.275±.006	10	1/4	10-1/2
-450	10.475±.060	.275±.006	10-1/2	1/4	11
-451	10.975±.060	.275±.006	11	1/4	11-1/2
-452	11.475±.060	.275±.006	11-1/2	1/4	12
-453	11.975±.060	.275±.006	12	1/4	12-1/2
-454	12.475±.060	.275±.006	12-1/2	1/4	13
-455	12.975±.060	.275±.006	13	1/4	13-1/2
-456	13.457±.070	.275±.006	13-1/2	1/4	14
-457	13.975±.070	.275±.006	14	1/4	14-1/2
-458	14.475±.070	.275±.006	14-1/2	1/4	15

-459	14.975±.070	.275±.006	15	1/4	15-1/2
-460	15.475±.070	.275±.006	15-1/2	1/4	16
-461	15.955±.075	.275±.006	16	1/4	16-1/2
-462	16.455±.075	.275±.006	16-1/2	1/4	17
-463	16.955±.080	.275±.006	17	1/4	17-1/2
-464	17.455±.085	.275±.006	17-1/2	1/4	18
-465	17.955±.085	.275±.006	18	1/4	18-1/2
-466	18.455±.085	.275±.006	18-1/2	1/4	19
-467	18.955±.090	.275±.006	19	1/4	19-1/2
-468	19.455±.090	.275±.006	19-1/2	1/4	20
-469	19.955±.095	.275±.006	20	1/4	20-1/2
-470	20.955±.095	.275±.006	21	1/4	21-1/2
-471	21.955±.100	.275±.006	22	1/4	22-1/2
-472	22.940±.105	.275±.006	23	1/4	23-1/2
-473	23.940±.110	.275±.006	24	1/4	24-1/2
-474	24.940±.115	.275±.006	25	1/4	25-1/2
-475	25.940±.120	.275±.006	26	1/4	26-1/2
Boss Seal Size:	Actual I.D. Inches	Actual C.S. Inches			
-901	.185±.005	.056±.003			
-902	.239±.005	.064±.003			
-903	.301±.005	.064±.003			
-904	.351±.005	.072±.003			
-905	.414±.005	.072±.003			

-906	.468±.005	.078±.003			
-907	.530±.007	.082±.003			
-908	.644±.009	.087±.003			
-909	.706±.009	.097±.003			
-910	.755±.009	.097±.003			
-911	.863±.009	.116±.004			
-912	.924±.009	.116±.004			
-913	.986±.010	.116±.004			
-914	1.047±.010	.116±.004			
-916	1.171±.010	.116±.004			
-918	1.355±.012	.116±.004			
-920	1.475±.014	.116±.004			
-924	1.720±.014	.116±.004			
-928	2.090±.018	.116±.004			
-932	2.337±.018	.116±.004			